A Guide to MP Volume 36 1997 Subject Index

This is an alphabetical list of topics included in Volume 36 of MP. Subject classifications are followed by issue number, then page number.

ACIDS

See also HYDROGEN SULFIDE: SOUR SERVICE

Carbonic, and wet corrosion of carbon steel.

Corrosion resistance of Ni-Cr-Mo alloy in, 3-49.

Hydrochloric

accelerated refinery corrosion, 5-55 boiling, weld decay testing of SS tubing, 6-58 low-toxicity inhibitor for industrial cleaning. 2-63

Peracetic, as biocide, 8-42 Sulfuric

> concrete sewer pipe degradation, 1-51 fiber-reinforced composite degradation, 5-65 fluorocarbon liner in scrubber, 2-85

ADHESIVES

Hydrogel, and CP of reinforced concrete, 3-14 Pipeline auto-sealing system, 4-40

AIRCRAFT CORROSION

Contractor guidelines, 10-66 Hydraulic line, cracked, 10-72 Marine-tropical environments, 5-33

ALUMINUM AND ALLOYS

Aircraft corrosion in marine-tropical environments, 5-33 Anodes for deep-water pipelines, 6-20 Diffusional coatings on steel, 6-28, 6-62 Hydraulic line, cracked, 10-72 Weldments, MIC, 6-46

AMORPHOUS ALLOYS: Wear resistance, 11-27

ANODES

See also CATHODIC PROTECTION

Anode field CP, 1-15 Deep-water pipelines, 6-20, 9-15 Galvanic

for prestressed concrete pipe, 5-12 Zn/hydrogel system, 3-14 Zn wired rebar, 2-22 Mesh ribbon grid, for Sydney Opera House, 9-21 Offshore structures, design conservatism, 2-27

ATMOSPHERIC CORROSION

Aircraft in marine-tropical environments, 5-33 Diffusional Zn and Al/Zn-based coatings on steel,

BACTERIA See MICROBIAL ATTACK

BIOCIDES

See also WATER TREATMENT

Antibiofoulants, 11-43 Arctic environment, 4-58 Artificial marsh treatment system, 12-42 Compatibility studies, 11-43 Concrete structures in immersion service, 5-26 Environmentally acceptable, 2-71 Monitoring, 11-49 Oil pipelines, 7-53 Peracetic acid. 8-42

Refinery cooling system, 5-42

BOU FRS

See also HEAT EXCHANGERS: POWER PLANTS

Artificial marsh water treatment, 12-42 Cleaning, low-toxicity inhibitor for, 2-63 Combustion gases, and corrosion rate prediction, 12-36 Steam-side carryover salt deposition, 5-48

Superheater components molten salt attack, 5-48 nitride embrittlement, 6-62

Tube deposits, chemical dissolution tests, 9-48 Waste heat, catastrophic failure, 2-81

BRIDGES: Industrial lead abatement, 9-30

CATHODIC PROTECTION See also ANODES

Anode field, 1-15 Coating quality assessment, 4-21 Computerized, and pipeline reconditioning, 10-14 Concrete, steel-reinforced, 2-22, 3-14, 9-21, 11-17, 12-16 Conservatism in design, 2-27 Criteria, 12-16 Data acquisition systems, 1-9, 10-14 Disbonded pipeline coatings and, 4-13 Drainage bonds, 7-18 Electrical isolation method, 8-14 EPA compliance, 5-23

Gas distribution system, remote monitoring, Impressed current, historical overview, 7-18

Parameters, in situ acquisition of, 1-9 Photovoltaic cells in. 12-12

Pipe, prestressed concrete, 5-12, 8-64 Pipeline crossings, 8-18

Pinelines

bell and spigot type, locating open joints in,

deep-water, anodes for, 6-20

deep-water, CP retrofit, 9-15 in discontinuous permafrost, 10-20 water, 1-15, 5-12, 5-18, 11-17, 11-9

Potential measurements on integrated salt bridge and steel coupons, 6-15

Stray current, 5-12, 7-18, 8-14, 8-18, 11-9 Sydney Opera House, 9-21 Underground storage tanks, 10-26

Zn/hydrogel system for reinforced concrete, 3-14

CHLORIDES

See also SALTS

Ammonium, and localized attack of SS refinery parts. 5-59 Calcium, and steel column corrosion, 5-70

Concrete corrosion, 5-12, 9-21

CHLORITES: Plastics for handling of, 10-34

CLIMATIC CONDITIONS Arctic environment, chemical product selection.

Discontinuous permafrost, pipeline CP, 10-20 Marine-tropical environments, aircraft corrosion.

COATINGS

Aircraft in marine-tropical environments, 5-33 Anodes, deep-water, repair of, 9-15 Clad piping components for refineries, 7-29 Costs, products, and service life, 2-39 Diffusional, on steel, 6-28, 6-62 Disbondment on pipelines, 4-13 Epoxy polymer concrete, 1-20 Fusion-bonded epoxy, 1-20 Girth weld, field applied, 1-20 Lead-based paint EPA regulations, 3-34 removal from water main, 9-30

New Orleans Offshore Corrosion Conference,

Painted pipe flanges, 3-27 Pipelines, deep-water, 6-20

Polyethylene, auto-sealing system for pipeline joints, 4-40

Polymer, for tanks, 10-42 Quality assessment in CP systems, 4-21 Silicone-based, for concrete biofouling protection, 5-26

Soluble salts, field testing guide, 8-27 Specification writing, 1-25 Thermal spray, 12-27, 12-31 Wear-resistant alloys, 11-27

MP/December 1997

1997 *MP* Index

COBALT AND ALLOYS: Wear resistance, 11-27

COMPOSITES

See also POLYMERICS

Fiber-reinforced

microbial degradation of, 3-37, 5-65 rail car tanker liner, 10-34 Isopolyester pipe, for cooling water, 4-74 Spoolable pipe and tubing, 1-48

CONCRETE

Prestressed pipe CP, 5-12, 11-17

potential survey technique, 8-64
Prestressed water reservoir failures, 9-64
Sewer pipe, admixtures for, 1-51
Silicone-based coatings for biofouling protection,
5-26

Steel reinforced

CP criteria, 12-16 lining cracks in water pipes, CP, 11-17 pilings, repair of, 1-18 Sydney Opera House, CP, 9-21 Zn/hydrogel CP system, 3-14 Zn wire for CP, 2-22

COPPER AND ALLOYS

Admiralty brass chemical dissolution tests, 9-48 heat exchangers, SCC, 5-42 Aluminum bronze roller gate chain, 3-57 Liquid metal cracking, 12-57 Weldments, MIC, 6-46

CREEP FAILURE: Waste heat boiler, 2-81

CREVICE CORROSION

Painted pipe flanges, 3-27 SS refinery parts in ammonium chloride, 5-59

DATA ACQUISITION/ANALYSIS

Computerized CP, 10-14 CP parameters, in situ, 1-9 Trans-Alaska pipeline, 2-36

DESIGN

Aircraft contractor guidelines, 10-66
Alloying elements and SCC, 11-63
Anodes for deep-water pipelines, 6-20
Clad piping systems, 7-29
Composite pipe, spoolable, 1-48
Concrete sewer pipe, 1-51
CP systems
conservatism in, 2-27
in-situ data acquisition, 1-9
remote, for gas distribution system, 7-14
H₂S, and corrosion rate prediction, 12-36

Hydraulic line, cracked, 10-72
Protective coating guidelines, 2-39
SS tubing, rapid screening of, 9-71
Superheater tubes, 6-62
Surface preparation for corrosion control, 11-56
Water reservoirs, prestressed concrete, 9-64
Wear-resistant alloys, 11-27

Wet fireproofing and building column corrosion, 5-70

ECONOMICS

Biocides, environmentally acceptable, 2-71 CP design conservatism, 2-27 Pipeline reconditioning costs, reducing, 10-14 Protective coatings, 2-39

EMBRITTLEMENT

Hydrogen, of high-strength fasteners, 12-54 Nitride, of carbon and low-alloy steels, 6-62 Prestressed concrete cylinder pipe, 5-12

ENVIRONMENTAL CRACKING: Rapid screening of SS, 9-71

ENVIRONMENTAL PROTECTION AGENCY

CP requirements, 5-23 Lead-based paint inspection, 3-34 Tank liner study, 3-9 Underground storage tank compliance, 2-37, 4-31, 5-23, 10-30

EROSION-CORROSION: Wear-resistant alloys for, 11-27

EXTERNAL CORROSION

Deep-water pipelines, anodes for, 6-20 Underground coated pipelines, 4-13

FAILURE ANALYSIS

Dielectric isolation flanges, 11-9
ETP Cu bars, 12-57
Fasteners, high-strength, 12-54
Gas turbine combustion chamber, 7-62
Hydraulic line, cracked, 10-72
LPG line fitting, 5-55
Steel building columns, 5-70
Superheater components, 5-48, 6-62
Waste heat boiler, 2-81
Water reservoirs, prestressed concrete, 9-64
Water well screens, 6-66

FAILURE

See CREEP FAILURE; FAILURE ANALYSIS; FATIGUE FAILURE

FATIGUE FAILURE: Gas turbine combustion chamber, 7-62

FLUE GAS DESULFURIZATION: Rubber linings, 4-33

FUNGUS

See also MICROBIAL ATTACK

Degradation of fiber-reinforced composites, 3-37

GALVANIC CORROSION

Prestressed concrete pipe, 5-12 Reinforced concrete, Zn/hydrogel CP system for, 3-14

Zn wired rebar, 2-22

GAS

See NATURAL GAS; OIL AND GAS PRODUCTION

GEOTHERMAL ENERGY

Composite pipe for cooling water, 4-74 Unit condenser, MIC, 3-43

HAZARDOUS WASTE: Industrial lead abatement, 9-30

HEAT EXCHANGERS

See also BOILERS: POWER PLANTS

Cleaning, low-toxicity inhibitor for, 2-63 Monitoring of reuse water, 5-42 Water treatment assessment, 10-52, 10-59

HYDROGEN SULFIDE

See also ACIDS; SOUR SERVICE

Corrosion rate prediction and, 12-36 Sour aqueous environments, 4-72

INHIBITORS

See also WATER TREATMENT

Arctic environment, 4-58
CO, for wet CO₂ corrosion of carbon steel, 1-40
Downhole capillary injection system, 9-54
Laboratory selection tests, 12-31
Low-toxicity, for acid cleaners, 2-63
Polyaspartate, and mineral scales, 4-53
Polymeric, for cooling water, 1-32
Residual concentrations, analysis of, 9-38
Zn replacement technology, 8-35

INSPECTION

See also TESTS

Lead-based paint, 3-34 LPG Horton spheres, 7-59 Pipe

HVAC, 2-56

large-diameter insulated, eddy-current, 1-58 prestressed concrete, potential survey technique, 8-64

Pipelines

bell and spigot type, 5-18 deep-water, 9-15 MFL tool hardware for, 2-75 Thermal spray coatings, 12-31

INTERGRANULAR ATTACK: Type 409 SS, 8-57

LEAD PAINT

EPA regulations, 3-34 Removal from water main, 9-30

LINE PIPE See PIPELINES

LININGS

Fluorocarbon, in acid scrubber, 2-85 FRP composite, for rail car tanker, 10-34 Rotolinings, 10-42 Rubber, in FGD plants, 4-33 Thermoplastic, high-performance, 10-42

LIQUID METAL CRACKING: Pure Cu, 12-57

1997 MP Index

LOCALIZED ATTACK

See also MICROBIAL ATTACK: PITTING ATTACK

SS in ammonium chloride, 5-59

MAINTENANCE

HVAC pipes, 2-56

Low-toxicity inhibitor for acid cleaners, 2-63

Oil pipelines, 7-53

Protective coatings, 2-39

Water supply pipeline, anode field CP for, 1-15

MARINE ENVIRONMENTS See also SFAWATER

Aircraft corrosion, 5-33

Weldments, MIC, 6-46

MATERIALS SELECTION See DESIGN

MEASUREMENT

AC current in soil, 11-9

Electrochemical, and prestressed concrete

corrosion, 9-64

Pitting potential, limitations on use, 1-65 Potential

integrated salt bridge and steel coupons, prestressed concrete pipes, 8-64

MICROBIAL ATTACK See also FUNGUS; LOCALIZED ATTACK

Antibiofoulants, 11-43

Concrete sewer pipe, 1-51

Concrete structures in immersion service, 5-26 Environmentally acceptable control methods,

2-71

Fiber-reinforced composites, 3-37, 5-65

Geothermal condenser, 3-43

Myths related to, 6-40

Oil pipelines, 7-53

Refinery cooling system, 5-42

Refinery water reuse and, 7-40

SS water well screens, 6-66

Weldments 6-46

MODELING: Furnace wall alloys, corrosion rate,

MONITORING SYSTEMS

Arctic oilfield applications, 4-58

Biocides, 11-49

Gas distribution system, remote CP, 7-14

Oil pipelines, MIC, 7-53

Pipeline crossings, CP, 8-18

Pipelines, CP, 10-14

Refinery reuse water, 5-42

Subsea, 3-31

Sydney Opera House, CP, 9-21

NATURAL GAS

See also OIL AND GAS PRODUCTION

Gas distribution system, remote CP monitoring,

Offshore pipelines, CP retrofit, 9-15

NEUTRALIZERS: Low base strength, for crude units, 7-46

NICKEL AND ALLOYS

Alloy 600, chemical dissolution tests, 9-48 Alloy 800H, molten salt attack in superheaters,

5-48

Alloying elements, and SCC, 11-63

Characteristics of, 3-53

Gas turbine combustion chamber, fatique failure,

Ni-Cr-Mo alloy

corrosion resistance, 3-49, 3-56

selective weld-metal attack, 7-66

Wear resistance, 11-27

Weldments, MIC, 6-46

NUCLEAR POWER PLANTS See POWER PLANTS

OFFSHORE STRUCTURES See also SEAWATER

CP systems

coating quality assessment, 4-21

data acquisition, 1-9

design conservatism, 2-27

New Orleans Offshore Corrosion Conference.

Painted pipe flanges, corrosion control, 3-27

Pipelines, CP retrofit, 9-15

Rapid screening of SS, 9-71

Spoolable composite pipe and tubing, 1-48

OIL AND GAS PRODUCTION See also NATURAL GAS; REFINERIES

Accelerated corrosion damage, 5-55

Arctic, chemical product selection, 4-58

Chemical treatment, continuous, 9-54

HCI corrosion, 5-55

Inhibitors

capillary injection system, 9-54

residual concentrations, 9-38

LPG Horton spheres, cracking in, 7-59

New Orleans Offshore Corrosion Conference.

3-31

Pipelines

anodes for deep-water, 6-20

CP in discontinuous permafrost, 10-20

MIC. 7-53

SS in ammonium chloride, localized attack, 5-59 SS cracking, rapid screening, 9-71

Wear-resistant alloys, 11-27

See COATINGS: LEAD PAINT

PIPELINES

Anode field CP, 1-15

Buried bell and spigot type, locating open joints

Computerized CP technology, 10-14

Crossings, CP at, 8-18 Disbonded coatings, 4-13

Electrical isolation CP method, 8-14

Girth weld coatings, field applied, 1-20

Inspection, MFL tool hardware for, 2-75 Oil and gas

anodes for deep-water CP, 6-20

CP retrofit offshore, 9-15

in discontinuous permafrost, 10-20

inhibitors, residual concentrations, 9-38 MIC control, 7-53

remote CP monitoring, 7-14

Polyethylene coated, auto-sealing of joints, 4-40

Potential measurements on integrated salt bridge and steel coupons, 6-15

Reconditioning costs, reducing, 10-14

Stray current interference, 11-9

Trans-Alaska, SAFE computer program, 2-36

concrete lining cracks, 11-17

lead paint removal, 9-30

stray current interference, 11-9

Clad refinery components, 7-29

Eddy-current examination, 1-58

HVAC, cleaning of, 2-56

Painted flanges, corrosion control, 3-27

Prestressed concrete

CP of, 5-12

potential survey technique, 8-64

Sewer, concrete admixtures, 1-51

Spoolable composite, 1-48

PITTING ATTACK

See also LOCALIZED ATTACK Aircraft in marine-tropical environments, 5-33

Geothermal condenser tubing, 3-43

Pitting potential measurements, limitations on,

SS refinery parts in ammonium chloride, 5-59 SS water well screens, 6-66

POLYMERICS

See also COMPOSITES

Additives for cooling water, 1-32

Fiber-reinforced, for rail car tanker liner, 10-34

Polyaspartate scale inhibitors, 4-53

Thermoplastic linings, high-performance, 10-42

POWER PLANTS

See also BOILERS: HEAT EXCHANGERS

Silicone-based coatings for biofouling protection,

Surface preparation and corrosion control, 11-56

PULP AND PAPER INDUSTRY: Cooling water treatment, 8-35

REBAR

See CONCRETE

See also OIL AND GAS PRODUCTION

Accelerated damage at LPG or hydrogen mix points, 5-55

Clad piping components, 7-29

Cooling system reuse water, monitoring of, 5-42

1997 *MP* Index

Crude units, low base-strength neutralizers for, 7-46

Water reuse in, 7-40 Wear-resistant alloys for, 11-27

RUBBER: Linings in FGD plants, 4-33

SALTS

See also CHLORIDES

Formation in crude units, 7-46 Molten, attack of superheater components, 5-48 Soluble, field testing guide, 8-27

SEAWATER

See also MARINE ENVIRONMENTS; OFFSHORE STRUCTURES

CP systems coating degradation, 4-21 data acquisition, 1-9 Defoamers in arctic environment, 4-58

Defoamers in arctic environment, 4-58 Fiber-reinforced composite degradation, 5-65

SOUR SERVICE

See also ACIDS; HYDROGEN SULFIDE

Definitions, review of, 4-66, 4-68 Dissolved sulfur in, 4-72

SPECIFICATIONS: Coatings, 1-25

STANDARDS

See also TESTS

DOT, gas pipeline CP, 10-14
EFC, sour service definitions, 4-66, 4-68
NACE MR0175, sour service definitions, 4-66,
4-68
NACE RP0169-92, buried pipeline CP, 10-14

NACE RP0169-92, buried pipeline CP, 10-14 NEN-742-1996, cooling water treatment, 10-52, 10-59

STEELS, CARBON

CO inhibition of wet $\mathrm{CO_2}$ corrosion, 1-40 Diffusional Zn and Al/Zn-based coatings, 6-28 LPG Horton spheres, cracking in, 7-59 MIC mechanisms, 6-40 Nitride embrittlement, 6-62 Paper mills, 8-35 Rail car tanker, plastic liner, 10-34 Refinery fitting, HCl corrosion, 5-55 Refinery heat exchangers, water reuse in, 7-40 Selection for $\mathrm{CO_2}$ corrosion tests, 12-50

STEELS, LOW-ALLOY

Hydrogen embrittlement, 12-54 Nitride embrittlement, 6-62 Weldments, MIC, 6-46

STEELS, STAINLESS

Alloying elements, and SCC, 11-63
Capillary tubing for downhole injection, 9-54
Clad piping systems, 7-29
Environmental cracking, rapid screening for, 9-71
Geothermal condenser tubes, MIC, 3-43
Localized corrosion in ammonium chloride, 5-59
MIC mechanisms, 6-40
Pitting potential measurements, 1-65

Roller gate chain, 3-57 Superheater components, molten salt attack, 5-48

Surface preparation, 11-56 Tubing, weld decay test, 6-58

Type 409 ferritic, sensitization and stabilization,

Water well screens, MIC, 6-66 Wear resistance, 11-27 Weldments, MIC, 6-46

STRAY CURRENT

Electrical isolation method, 8-14 Embrittlement of prestressed concrete pipe, 5-12 Historical overview, 7-18 Pipeline crossings, 8-18 Water pipeline system, 11-9

STRESS CORROSION CRACKING

Admiralty brass in heat exchangers, 5-42 Al hydraulic line, 10-72 Ni-base alloys, 11-63 SS, effect of alloying elements, 11-63

SUPERHEATERS See BOILERS

TANKS

Aboveground storage
EPA liner study, 3-9
mass integrity of, 3-21
Chemical storage, in arctic environment, 4-58
Linings
FRP for sodium chlorite handling, 10-34

thermoplastic, 10-42

Underground storage

EPA compliance, 2-37, 4-31, 5-23, 10-30 unusual CP situations, 10-26

TESTS

See also INSPECTION; STANDARDS

Chemical dissolution, on Alloy 600 and brass, 9-48

CO₂ corrosion, carbon steel selection, 12-50 Cooling water treatment, 10-52, 10-59 Electrochemical

on Alloy 600 and brass, 9-48 prestressed concrete reservoir failures, 9-64 Leak detection in tanks, mass integrity method,

SCC of stainless alloys, 11-63 Slow strain rate, for rapid screening of SS, 9-71 Soluble salts, field testing guide, 8-27 Weld decay test, boiling HCl (ASTM A 249), 6-58

THERMAL SPRAYING

Inspection and training, 12-27 Overview, 12-31

TITANIUM AND ALLOYS: Weldments, MIC, 6-46

TUBING

Al hydraulic line, cracked, 10-72 Austenitic SS, weld decay test, 6-58 Electrically shrinkable, for auto-sealing pipeline joints, 4-40 Geothermal condenser, MIC, 3-43 Martensitic SS, rapid screening of, 9-71 Spoolable composite, 1-48

TURBINES: Gas combustion chamber, fatigue failure, 7-62

WATER, COOLING

Artificial marsh treatment system, 12-42
Composite pipe for, 4-74
Paper mills, 8-35
Peracetic acid, as biocide, 8-42
Polymeric additives, 1-32
Refinery reuse water, 5-42, 7-40
Silicone-based coatings for biofouling protection in immersed concrete structures, 5-26
Standard test procedure, 10-52, 10-59
Zn replacement technology, 8-35

WATER, FRESH: SS water well screens, MIC, 6-66

WATER, POTABLE

Anode field CP, 1-15
Bell and spigot type buried pipelines, locating open joints in, 5-18
Concrete reservoir failures, 9-64
CP of prestressed concrete pipe, 5-12

WATER, SEA See SEAWATER

WATER TREATMENT See also BIOCIDES: INHIBITORS

Artificial marsh system, 12-42 Paper mill supply, 8-35 Refinery reuse water, 5-42, 7-40 Standard test procedure, 10-52, 10-59

WEAR RESISTANCE: New alloys for, 11-27

WELDS AND WELDMENTS

Austenitic SS tubing, weld decay test, 6-58
Chemical elements, effects of, 9-78
Clad piping systems, 7-29
Fe-, Ni-, Cu-, Al-, and Ti-based, MIC, 6-46
Friction-welded deep-water anodes, 9-15
Gas turbine combustion chamber, fatigue failure, 7-62

Hardfacing alloys, 11-27 LPG Horton spheres, cracking in, 7-59 Ni-Cr-Mo alloy, selective attack, 7-66 Type 409 SS, sensitization, 8-57

ZINC AND ALLOYS

Cooling water treatments, 8-35
Diffusional coatings on steel, 6-28
Zn anodes, CP of prestressed concrete pipe, 5-12
Zn/hydrogel CP system for reinforced concrete, 3-14
Zn wired rebar, 2-22

1997 MP Author Index

Abuan, E., 6-66 Agarwal, D.C., 3-56 Alvarez, A., 5-33 Amey, S.L., 1-51 Amjad, Z., 1-32 Angell, P., 6-46 Aromaa, J., 5-59 Ashby, T., 9-54

Baker, M.S., 8-18 Baldock, B., 8-64 Baptista, W., 1-9 Barkatt, A., 9-48 Baxter, C., 12-31 Beavers, J.A., 4-13 Benedict, R.L., 5-12 Bennett, J., 3-14, 12-16 Berge, P., 11-56 Bianchetti, R.L., 9-64 Billman, J.A., 11-43 Blessman, E.R., 6-58 Boivin, J., 7-53 Bresnahan, W.T., 7-40 Brevoort, G.H., 2-39 Britton, J., 3-27 Broomfield, J.P., 12-16 Brousseau, R., 8-64 Brunn, A.F., 3-31, 10-59 Buchanan, R.A., 6-46 Burns, R.J., 9-48 Butler, W., 9-54

Campos, W., 6-28
Card, S.W., 12-42
Caruso, M.L., 3-49
Chagnon, N., 8-64
Chakravarti, B., 7-29
Cheaitani, A., 9-21
Cherepakhov, G., 9-48
Childs, R.A., II, 3-21
Clarida, D., 7-46
Connor, J., 5-26
Crasto, A., 3-37
Croall, S., 7-14
Crolet, J.-L., 4-66
Crook, P., 3-49

da Costa, J.C.M., 1-9 Daczko, J.A., 1-51 Danko, J.C., 6-46 De, P.K., 12-57 Dean, S.W., 1-40 Dexter, S.C., 6-46 Dillon, C.P., 3-53, 4-72 Dobis, J.D., 7-29 Dobosz, L.M., 10-34 Dolderer, G., 5-26 Drugli, J.M., 4-21 Dyas, B., 5-26 Edwards, J.D., 2-27 Elagdel, E., 6-66 El-Batahgy, A.M., 2-81 Elhoud, A., 6-66, 7-62 Eliassen, S., 4-66, 6-20 Elliott, B., 9-30 Elmendelsi, T., 6-66, 7-62 Elshawesh, F., 6-66, 7-62 Elwaer, A., 7-62 Engle, S.L., 11-9 Esmacher, M.J., 5-48 Everett, B.L., 1-58

Feather, J., 5-55
Fenner, J., 4-21, 4-33
Fernández de Romero, M., 6-28
Filho, F.M., 12-12
Firlotte, C., 3-14
Fitzgerald, J.H., III, 10-26
Forsén, O., 5-59
Franson, I.A., 8-57
Freedman, A.J., 2-56
Frenier, W.W., 2-63
Fritz, J.D., 8-57
Fuller, B., 9-30

Ganti, S.S., 5-65 García Peris, M., 11-17 Gardiner, B., 10-42 Griffith, J.C., 1-58 Gu, J.-D., 3-37 Guillén, M.A., 11-17 Gupta, S.C., 7-59

Matfield, B., 1-15 Heffner, D.K., 2-85 Hendrix, D.E., 12-54 Hoffmann, R.A., 2-56 Holk, A.C., 9-15 Holmes, T.J., 10-34 Holstad Pettersen, N., 6-20 Huerta, E., 6-28 Hwang, J., 2-22

Johnson, D.A., 1-51 Johnson, J.R., 8-27 Johnston, J., 7-46 Joia, C.J.B.M., 9-71

Kain, V., 12-57 Kale, G.B., 12-57 Kane, R.D., 9-71 Karbowski, R.J., 11-49 Kermani, B., 4-66 Kessler, S.M., 8-35 Khan, K.K., 6-46 Khanna, A.S., 5-65 Kingseed, D.A., 3-49 Kitagawa, T., 4-40 Komura, M., 4-40 Kovacs, A.L., 6-46 Kramer, J.F., 8-42 Krotke, R.G., 1-58 Kung, S.C., 12-36

Labuda, E., 9-48 Le, N.T., 8-35 Lewis, M., 7-18 Little, B., 6-40 Lovejoy, P.T., 6-58 Low, K.C., 4-53 Lu, C., 3-37 Ludovic, J., 6-28 Lundin, C.D., 6-46

Magana-Vazquez, A., 3-43 Manian, L., 5-18 Marshall, D.H., 5-12 Martinez Gomez, L., 3-43 McConnell, M., 7-46 McDonald, D.B., 5-70 McIntyre, D.R., 4-68, 7-66 McMahon, A.J., 12-50 MeLampy, M.F., 2-39 Mitchell, C.J., 10-20 Mitchell, R., 3-37 Moore, R.M., 12-42 Muckleroy, B.S., 9-38 Müller Filho, F., 12-12 Müller B., 12-12

Mamioka, T., 4-40 Navarro, A., 6-28 Neal, D., 1-20 Nekoksa, G., 6-15 Nisbets, W., 4-66

Okano, Y., 4-40 Ott, J.G., II, 5-12

Pepin, J.J., 6-58 Pereira da Silva, L., 12-12 Pérez, O., 6-28 Pettersen, N.H., 6-20 Ponciano, J.A.C., 9-71 Powell, D.E., 4-58 Puckorius, P.R., 5-42 Pugh, J., 1-32

Raghu, D., 11-27 Ralle, E., 9-30 Rebak, R.B., 9-48 Ribble, J.P., 5-48 Riha, R., 5-26 Rizzo, M.E., 10-14 Romero, N., 6-28 Ross, R.J., 4-53 Rossini, A., 9-21 Sampath, P., 5-65 Sampson, E.R., 12-27 Sanchez-Yanez, J.M., 3-43 Sarver, L.W., 10-72 Shannon, J.E., 4-53 Sherer, P.A., 10-72 Shields, K.R., 2-39 Shoji, N., 4-40 Silverman, S.A., 1-48, 3-31, 9-54 Slusser, J.W., 1-40 Small, A.L.L.T., 9-71 Smialowska, S., 9-48 Smith, L.M., 4-66 Snider, K., 9-54 Son. A.J., 9-38 Steinsmo, U., 4-21 Streicher, M.A., 1-65, 11-63 Strong, R., 7-46 Sydberger, T., 2-27

Tachick, H.N., 8-14
Tandon, K.K., 2-75
Tavi, M., 5-59
Taylor, E., 10-66
Tettamanti, M., 9-21
Thompson, N.G., 4-13
Thompson, T.S., 5-70
Thorp, K., 3-37
Tiller, I.B., 2-27
Torres-Sanchez, R., 3-43
Trejo, D., 9-64
Troconis de Rincón, O.T., 6-28
Trivedi, D.K., 7-59
Turnipseed, S.P., 6-15

VanderWende, E., 4-58 van Haarlem, A., 10-52 van Pelt, A.J., 10-52 Vernon, L.S., 1-25, 3-34 Virtanen, J., 5-59

Wagner, P., 6-40 Waslen, D.W., 10-20 Watkins, W.R., 1-40 White, D., 5-12 Wiebe, D., 5-26 Wilder, D.M., 9-48 Wildman, T.A., 10-14 Winters, R.H., 9-15 Wright, M.D., 10-20 Wu, J.B.C., 11-27 Wynns, K.A., 6-62

Zanoni, P., 9-30 Zhang, X.G., 2-22 Zibrida, J., 1-32 Zuhl, B., 1-32